



GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)
Head Office, Nagpur.

स्पीड पोस्ट
SPEED POST

Tel : 2510248,
Fax : (712) - 2510577
Email : explosives@explosives.gov.in

5th Floor, A-Block, CGO Complex,
Seminary Hills,
Nagpur (M.S.) - 440006

No : (CPS56085)

Date : 20/1/2020

To,

M/s. Trivedi & Associates Technical Services (P) Ltd,
109-113 Sid Cup Tower, Near Marble Arch,,
Race Course,,
Vadodara - 390007,
District : VADODARA
State : Gujarat

24 JAN 2020

Sub : Recognition as Competent Person under SMPV(U) Rules 2016 - Regarding.

Sir ,

Please refer to your online submission details vide No. (CPS56085) , dated 20/12/2019.

1. In terms of Rule 2(d) and 11A of SMPV(U) Rules 2016, your organisation comprising of persons indicated below is also hereby recognised as competent persons for carrying out periodic testing, certification of safety, relief valves fitted to pressure vessels under Rule 18, periodic inspection, testing and certification of pressure vessel under Rule 19 issue of safety certificate under Rule 33 for installation of pressure vessel

Recognised under SMPV(U) Rules 2016	Name of Recognised Competent Person
Rule 18	Shri DM Vaidya (PV(R)429/CPS56085-4)
Rule 18	Shri Jayesh J. Mehta (PV(R)429/CPS56085-5)
Rule 18,19,33 (other than sphere, underground and mounded tanks)	Shri Abhijit D. Haldankar (PV(R)429/CPS56085-6)
Rule 18	Shri Tulsidas Z. Solanki (PV(R)429/CPS56085-7)
Rule 18	Shri Jimi Shah (PV(R)429/CPS56085-8)

2. Please also note that the certificate issued by the recognized technical persons shall be countersigned by Shri Abhijit D. Haldankar,

3. It may also please be noted that before issue of certificate of safety under Rule 33, conformity of layout of various facilities with the approved plan should be verified and the vessel should be checked with respect to certificate of control of the inspecting agency and suitability of other fittings and equipment should be ensured. In case of safety certificate under Rule 43, the related mounting drawings shall be checked.

The above recognition is also subjected to the following condition.

4. All tests, examinations and inspections shall be carried out in a manner consistent with the intent or the purpose of SMPV(U) Rules 2016.

5. The certificates under the SMPV(U) Rules, 2016 shall be generated online with the help of your User ID, from this organisation's website. **Duly signed copies of such Certificates shall also be enclosed with the application for Approval/Grant/Amendment of the licenses, as the case may be.** Manually made certificate will not be entertained.

6. You shall maintain records & submit annual return in prescribed format (copy enclosed) in respect of certificate issued by you, indicating Chief Controller of Explosives/Jt. Chief Controller of Explosives's approval reference no. in respect of proposed licensed premises; Certificate number; Name & address of the applicant company/client; complete address of the site/premises; Name of contact person of the company/client; etc..

7. You shall not subcontract testing and examinations work to any other person/agency.

The recognition granted above may be revoked at any time in case of any violations of any condition of this recognition letter or if your performance is not considered satisfactory or found involved in any unethical and unprofessional conduct or not found physically fit and mentally sound for carrying out tests and examinations.

Your photograph(s) is/are enclosed for reference.

Any Change in organisation including manpower, a brief report on your performance of each competent person should be submitted to this office every year ending 31st March.

The subject recognition is otherwise valid upto 31/12/2020. The extensions of the Validity will be considered on submission of the following documents.

- i. Performance Report
- ii. Medical fitness certificate in respect of each competent person of your organisation.
- iii. Any change in Technical/Competent Person.

Yours faithfully,



(Shivchandra D. Mishra)

Controller of Explosives

for Chief Controller of Explosives






Copy forwarded for information to the :-

The Jt. Chief Controller of Explosives, 1. West Circle, Mumbai 2. South Circle, Chennai 3. East Circle, Kolkata 4. Central Circle, Agra 5. North Circle, Faridabad

for Chief Controller of Explosives

Enclosure

No : (CPS56085)

1.	 <u>DM Vaidya</u>	Competent Person Name : DM Vaidya
2.	 <u>Jayesh J. Mehta</u>	Competent Person Name : Jayesh J. Mehta
3.	 <u>Abhijit D. Haldankar</u>	Counter Signatory Name : Abhijit D. Haldankar
4.	 <u>Tulsidas Z. Solanki</u>	Competent Person Name : Tulsidas Z. Solanki
5.	 <u>Jimi Shah</u>	Competent Person Name : Jimi Shah


for Chief Controller of Explosive, Head Office, Nagpur.